

Revised Certificate of Analysis



CBDaily Softgels - 450 mg CBD & CBDaily Softgels - 900 mg CBD

Client: Farmacy Bliss
 Address: 1913 Countrywood Ct
 Walnut Creek, CA 94598
 License: P04030


Lab ID: P200406-9 001
 Date Received: 4/6/2020
 Analysis Completed: 4/11/2020
 Global Lab Result ID:

Original Global ID: n/a
 Lab Global ID: n/a
 Sample Type: Edible
 Lot: 1803023

Cannabinoid Concentration Analysis

	Percent	mg/g	mg/0.52g		Percent	mg/g	mg/0.52g
CBC	0.25	2.53	1.32	Total THC ¹	0.10	0.97	0.50
CBCA	<0.01	<0.01	<0.01	Total CBD ²	5.45	54.52	28.35
CBD	5.40	54.00	28.08	Total Cannabinoids ³	7.09	70.92	36.88
CBDA	0.06	0.60	0.31				
CBDV	0.07	0.73	0.38				
CBDVA	0.14	1.38	0.72				
CBG	0.11	1.11	0.58				
CBGA	0.58	5.80	3.01				
CBL	0.04	0.41	0.21				
CBN	0.10	0.98	0.51				
CBNA	0.10	0.96	0.50				
CBT	0.05	0.49	0.25				
THCA	<0.01	<0.01	<0.01				
THCV	<0.01	<0.01	<0.01				
THCVa	<0.01	<0.01	<0.01				
Δ-8 THC	0.10	0.97	0.51				
Δ-9 THC	0.10	0.97	0.50				

Relative Cannabinoid Concentration



Method: HPLC

Notes: ¹ Total THC = THCA x 0.877 + Δ9 THC.

² Total CBD = CBDA x 0.877 + CBD.

³ Sum of all cannabinoids without a conversion factor applied to THCA or CBDA.

Microbiological Screening

	Result (CFU/g)	WSLCB Limit	Pass/Fail
Enterobacteriaceae	<20	< 10,000	Pass
E. coli	nd	*	Pass
Salmonella	nd	*	Pass

Method: FDA BAM

Notes: * Not detected in 1 gram.

Heavy Metals

	Result (µg/5g)	LOD (µg/5g)	LOQ (µg/5g)
Arsenic (As)	ND	0.02	0.06
Lead (Pb)	ND	0.01	0.02
Cadmium (Cd)	ND	0.01	0.04
Mercury (Hg)	ND	0.02	0.07

Residual Solvent Screening

	Result (ppm)	WSLCB Limit	Pass/Fail
Acetone	nd	5,000	Pass
Benzene	nd	2	Pass
Butanes	nd	5,000	Pass
Chloroform	nd	2	Pass
Cyclohexane	nd	3,880	Pass
Dichloromethane	nd	600	Pass
Ethanol	nd	n/a	n/a
Ethyl Acetate	nd	5,000	Pass
Heptanes	nd	5,000	Pass
Hexanes	nd	290	Pass
Isopropanol	nd	5,000	Pass
Methanol	nd	3,000	Pass
Pentanes	nd	5,000	Pass
Propane	nd	5,000	Pass
Toluene	nd	890	Pass
Total Xylene	nd	2,170	Pass

Method: GC-FID HS-FET



Certificate #4803.01

This report was reviewed by:

Megan Stang, Project Manager on April 9th, 2020

This report was approved by:

Bonnie Luntzel, Quality Assurance Manager on April 9th, 2020

This report was revised by: Megan Stang on 4/11/2020 and Elizabeth Doar, Laboratory Administrator on April 13th, 2020

Not all testing listed above is included in our A2LA Scope of Accreditation. Please consult A2LA Certificate #4803.01 for a list of accredited tests.

The abbreviations nd, n/a, e.v., and tntc stand for not detected, not applicable, estimated value, and too numerous to count respectively.

Testing results are certified by scientific examination of a single sample, as identified by the Sample ID, provided by the Producer/Processor. The sample, as received, was homogenized before subsamples were drawn for specific analysis. Praxis Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. The results pertain only to the sample tested and no other sample. This revised certificate supercedes any prior certificate issued for this sample. Certificate was revised to update reporting format, data, and product name.